

In the Claims:

1. (Currently Amended) A printed circuit board (~~PCB~~) for use with electrical apparatus, said ~~PCB~~ printed circuit board comprising: having

at least one electrical component;

at least one electrically conductive track;

a body with at least one surface provided for the location of ~~one or more~~ said at least one electrical components thereon and ~~one or more~~ said at least one electrically conductive tracks for electrically connecting said ~~one or more~~ at least one electrical component in a required arrangement, at least a portion of the ~~PCB~~ body having ~~one or more~~ at least one test ports thereon for allowing testing of one or more functions of said printed circuit board ~~PCB~~, electrical conductive tracks and/or electrical components, and ~~wherein the~~ at least one test port portion of the ~~PCB~~ body provided with said ~~one or more~~ at least one test ports is detachably attached to said ~~PCB~~ printed circuit board body to allow removal therefrom.

2. (Currently Amended) A ~~PCB~~ printed circuit board according to claim 1 wherein ~~the~~ said at least one ~~testing port~~ portion is removed from ~~the main~~ said body of ~~the PCB~~ said printed circuit board after testing of the ~~PCB~~ said printed circuit board or electrical apparatus has taken place.

3. (Currently Amended) A ~~PCB~~ printed circuit board according to claim 1 wherein ~~the~~ said at least one ~~testing port~~ portion is detachably attached to ~~the main~~ said body of ~~the PCB~~ said printed circuit board by attachment means ~~including any or any combination of one or more~~ selected from the group consisting of: frangible portions, clips, perforations ~~or and~~ slots.

4. (Currently Amended) A ~~PCB~~ printed circuit board according to claim 1 wherein ~~the~~ said at least one testing ~~port~~ portion is provided as a protruding part of ~~the main~~ said body of the ~~PCB~~ said printed circuit board.

5. (Currently Amended) A ~~PCB~~ printed circuit board according to claim 1 wherein ~~said the~~ at least one testing ~~port~~ portion is provided on a peripheral edge of ~~the PCB~~ said printed circuit board body.

6. (Currently Amended) A ~~PCB~~ printed circuit board according to claim 1 wherein ~~the~~ said at least one testing ~~port~~ portion is provided within the peripheral edges of ~~the PCB~~ said printed circuit board body and detachment of ~~the~~ said at least one testing ~~port~~ portion from ~~the PCB~~ said body results in one or more apertures being provided in the ~~PCB~~ said body.

7. (Currently Amended) A ~~PCB~~ printed circuit board according to claim 1 wherein ~~the PCB~~ said body is located in ~~or with a housing in use, the housing being provided with~~ having obstruction means for obstructing the location of ~~the PCB~~ said printed circuit board therein ~~if the one or more~~ when said at least one testing ~~port~~ portions has not been removed from ~~the~~ said body of the ~~PCB~~ said printed circuit board.

8. (Currently Amended) A ~~PCB~~ printed circuit board according to claim 7 wherein ~~the~~ said obstruction means in ~~the~~ said housing includes at least one ~~or more~~ protruding members.

9. (Currently Amended) A PCB printed circuit board according to claim 1 wherein ~~the PCB~~ said printed circuit board is a multi-layered board and ~~the~~ said at least one electrically conductive ~~tracks are~~ track is provided on an inner layer thereof.

10. (Currently Amended) A method of using a printed circuit board (PCB), ~~said PCB~~ having a body with at least one surface for the provision of one or more electrical components thereon and one or more electrically conductive tracks for electrically connecting said one or more electrical components, ~~and wherein the~~ said method comprising ~~includes~~ the steps of:

testing one or more functions of the PCB printed circuit board, electrical conductive tracks and/or electrical components using one or more testing ports provided on at least a portion of the PCB printed circuit board body; and, ~~on completion of said testing,~~

removing ~~upon, on completion of said testing,~~ the portion(s) of the PCB printed circuit board body provided with said one or more testing ports thereon.

11. (Currently Amended) A PCB printed circuit board and housing assembly, ~~said the housing~~ assembly comprising: ~~being provided with~~

at least one deattachable test port portion on said printed circuit board;

obstruction means in said housing for obstructing location of the PCB printed circuit board in the housing unless at least a portion of the PCB printed circuit board having ~~one or more~~ at least one test ports provided thereon has first been removed.

12. (Currently Amended) A housing assembly for use with a PCB printed circuit board , the

housing assembly comprising: ~~provided with~~

obstruction means for obstructing location of the PCB printed circuit board in the housing unless at least a portion of the PCB printed circuit board having one or more test ports provided thereon has first been removed.

13. (New) A printed circuit board according to claim 1 wherein said body is with a housing in use, the housing being provided with means for obstructing the location of the printed circuit board therein if the one or more testing portions has not been removed from the body of the printed circuit board.